

The Effects of Air Pollution on the Environment, Wildlife, and Human Health: A Comprehensive Study

***Dr. Pooja Saxena**

Abstract

Natural disasters and various kinds of human activities lead to air pollution. The atmosphere has not been as substantially impacted by natural events as it is currently by human activity, however throughout time, a variety of natural events like volcanoes, forest fires, and lightning may have released different toxins into the environment. Particulate matter (PM10, PM2.5), gases (such as carbon monoxide (CO), nitrogen dioxides (NO_x), ground level ozone (O₃), sulphur dioxide (SO₂), organic compounds (such as polycyclic aromatic hydrocarbon [PAH]), and metals at higher concentrations that permeate the environment are among the harmful substances that contribute to air pollution. In addition to its effects on plants and animals, air pollution is the primary cause of respiratory, neurological, and cardiovascular diseases in humans. Furthermore, it contributes to acid rain, global warming, ozone layer thinning, and other factors that contribute to climate change. The paper addresses air pollution and how it affects both the environment and public health.

Keywords: acid rain, pollution, the environment, global warming, neurological disorders

1. INTRODUCTION

Natural disasters and a variety of human activities lead to air pollution. The atmosphere has not been as substantially impacted by natural events as it is currently by human activity, however throughout time, a variety of natural events like volcanoes, forest fires, and lightning may have released different toxins into the environment. According to Kampa and Castanas (2008), human activities are the primary cause of environmental contamination and the intense pressure they put on the environment, which is what causes climate change and other negative health impacts. It is evident that carbon dioxide, dust, and other gases are released into the atmosphere at the rate of their carrying capacity due to human activity. Rapid development of Indian cities has resulted in increased environmental pollution from industry, urbanization, and a rise in the number of cars. A significant portion of the population is also moving to cities in search of work or other necessities. According to Khandar and Kosankar (2014), as a consequence, the population of cities is becoming unsustainable every day, increasing the need for automobiles and causing traffic to get out of control. The primary cause of environmental deterioration is human activity. Examples include the use of tobacco, smelters, building construction that generates dust, industrial power plants, agricultural practices, building emissions, and metal-based businesses. According to Gheorghe and Ion (2011), air pollution

The Effects of Air Pollution on the Environment, Wildlife, and Human Health: A Comprehensive Study

Dr. Pooja Saxena

is caused by the introduction of harmful substances such as particulate matter (PM_{2.5}, PM₁₀), gases (like nitrogen dioxides (NO_x, carbon monoxide (CO)), ground level ozone (O₃), sulfur dioxide (SO₂), organic compounds (like polycyclic aromatic hydrocarbon [PAH]), and metals at higher concentrations that enter the environment and lower quality of life.

The gradual alteration in the composition of gases in the atmosphere can therefore be attributed to air pollution, whereby certain gases are released into the atmosphere directly and others are produced as a result of chemical reactions between primary and secondary pollutants in the atmosphere. Lead, Carbon monoxide, ground level ozone, nitrogen dioxide, sulphur dioxide, and particulate matter are among the six pollutants for which the US EPA has established ambient air quality guidelines, sometimes referred to as criterion pollutants (Huang et al., 2011).

The health of people, animals, and plants is negatively impacted by exposure to both high and low levels of air pollution, since air pollution is a worldwide problem and a multifaceted public health issue (Ghorani-Azam et al., 2016). Indoor air pollutants are produced by burning kerosene, firewood, agricultural wastes, and manure. Outdoor pollutants are produced by a variety of activities, such as motor vehicle combustion, solid fuel burning, industry, wildfire smoke, and dust particles (Kankaria et al., 2014).

SO₂, CO, polycyclic aromatic hydrocarbons (PAHs), NO₂, Benzene, particulate matter, chlorofluorocarbons, and heavy metals including lead, mercury, copper, nickel, and cadmium are the main contributors of pollutants that directly contribute to air pollution. According to Chen et al. (2007), air pollution is the cause of both acute and chronic diseases. It is well known that both short- and long-term exposure to air pollution increases the risk of a number of illnesses, including lung cancer, asthma, cardiovascular disease, respiratory conditions, wheezing, pulmonary disease, and others (Lee et al., 2014). In addition to listing the main air pollutants and their sources, this study estimates the exposure of toxicological air pollutants to human health and related disorders.

2. Air pollution's effects on the environment

2.1 Global warming

The fundamental cause of global warming is the man's activity. The concept itself is the rise of the planet's average temperature that resulted from the rapid increase in the concentration of greenhouse gases that previously already existed in the atmosphere, numbering as carbon dioxide chlorofluorocarbons (CFCs), nitrous oxide, methane, ozone and water vapor (Venkataraman) For life to continue on Earth, naturally occurring greenhouse gasses are vitally necessary. The earth's mean temperature would have been lower in the absence of very little greenhouse gas emissions. However, when GHG concentrations rise, temperatures also rise (Anderson et al., 2016). According to Al-Ghussain (2018), there might be major effects of global warming on human health, agriculture, water supplies, forests, animals, and the melting of snowcaps, which would raise the sea level. Furthermore, the severity of weather events including droughts, storms, heat waves, and floods also increases with rising global temperatures (Dosio et al., 2018).

The Effects of Air Pollution on the Environment, Wildlife, and Human Health: A Comprehensive Study

Dr. Pooja Saxena

2.2 The Acid Rain

When contaminants or chemical acids found in the environment combine with atmospheric water, acid rain is released onto the planet. The sulfur and nitrogen oxides released when coal is used in power plants and autos are what cause rainfall to be acidic (Singh & Agarwal 2007). Nitric acid, sulfuric acid, and weak carbonic acid make up the majority of acid rain (Ashfaq et al., 2012). Acid rain has a negative impact on the morphological structure of plants in a natural environment. It also disrupts physiological processes and plant production, which ultimately results in plant mortality. Acid rain may lead to soil acidification, which can harm plants and render water unsafe for humans to drink or for fish or other aquatic life. Additionally, it causes monuments and structures to corrode (Pathak et al., 2011).

2.3 Depletion of Ozone

Ozone, which is present in the stratosphere, shields humans from the sun's damaging rays by absorbing their UV rays. Tropospheric ozone, on the other hand, is harmful to both people and other living things, making it a pollutant. Unfortunately, ozone depleting substances like hydrochlorofluorocarbons (HCFCs) and chlorofluorocarbons (CFCs) have harmed the stratosphere's ozone layer, causing it to become thin. As a result, the sun's dangerous radiation reaches the earth's surface, where it damages crops and plants and poses a health risk to people like skin cancer. Ozone gas inhibits CO₂ transfer and lowers photosynthetic activity in plants by penetrating the whole plant via stomata (Madronich et al., 1993, Teramura, 2006, Singh et al., 2009).

3. Wildlife's impact

Increases in the world's population lead to the emission of harmful chemicals into the atmosphere, which may then settle on land or in aquatic environments and have a variety of effects on animals. Similar to humans, animals who are exposed to high enough concentrations of air pollution may have a variety of health issues (Williams et al., 2004). Animals exhibit birth defects and reproductive failure as a result of exposure to high levels of air pollution.

4. The Risk to Human Health

The human body may be exposed to a variety of air pollutants, which pose a health risk and may interfere with the regular functioning of live organs. Based on epidemiological research, the primary toxicological effects of air pollution are related to the cardiovascular system, respiratory organs, immune system, and neurological problems. Nevertheless, prolonged exposure causes cellular and molecular damage, which may result in a variety of cancers in people (Nakano et al., 2013; Kampa et al., 2008). However, sensitive individuals—children, the elderly, and those with respiratory and cardiovascular conditions—are more vulnerable to exposure to air pollution, even at low levels (Makri et al., 2008).

4.1 Cardio-vascular dysfunctions

Direct exposure to air pollution has been linked to a number of cardiac-related dysfunctions,

according to several experimental and epidemiologic investigations (Nogueira, 2009, Snow et al., 2014, Brook et al., 2008, Anderson et al., 2012). Numerous studies have shown that long-term exposure to air pollution from traffic emissions is linked to alterations in blood cells that impact coronary arteriosclerosis and heart disease (Hoffmann et al., 2007).

An 11% increase in cardiac mortality has been linked to long-term exposure to PM_{2.5} at a level of 10 μ g/m³, according to epidemiological research. An increase in cardiac mortality may also be attributed to both short- and long-term exposure to nitrogen dioxide. Both right and left ventricular hypertrophy are linked to high levels of NO₂ exposure (Bourdrel et al., 2017, Steenhof et al., 2014). According to Katholi et al. (2011), short-term exposure is linked to an increased risk of hypertension, stroke, myocardial infarctions, and abrupt heart failure. Mixing carbon monoxide with other byproducts from automotive exhaust may cause cardiovascular dysfunction. Patients may also develop "atherosclerotic heart disease" when their hemoglobin content is high (Sule et al., 2013).

4.2 Conditions of the respiratory system

Research on the effects of air pollution on human health indicates that breathing in air pollution may lead to respiratory infections and allergic illnesses such pneumonia, asthma, and perhaps TB.

Air pollution may seriously impair lung development and increase the risk of developing chronic illnesses such as lung cancer, emphysema, and chronic obstructive pulmonary disease (COPD) (Laumbach et al., 2012, PSR, 2018). Depending on their size and chemical makeup, air pollutants may either pass through or infiltrate the lung tissue despite the respiratory tract's many defensive systems, including the air-blood barrier and mucosal cilia (D'Amato et al., 2010). The amount and quantity of the pollutants that are breathed may affect the respiratory tract to varying degrees and can affect both the upper and lower respiratory systems (Brunekreef et al., 2009). According to Valavanidis et al. (2013) and Tam et al. (2012), air pollutants, in particular particulate matters, dust particles, benzene, and other respirable compounds, may seriously harm the respiratory system.

4.3 Conditions relating to the nervous system

The high incidence of nervous system problems, including adult neurodegenerative diseases and childhood neurodevelopmental disorders, is mostly attributable to air pollution (Brown et al., 2005, Fombonne, 2013). According to recent research, inhaling PM_{2.5} and ultrafine particles (PM 0.1) can have a negative effect on the respiratory system and even reach the central nervous system and brain. This can lead to neurological diseases in humans, including Alzheimer's disease, Parkinson's disease, migraines, headaches, cerebro-cardiac strokes, and other types of dementia (Bandyopadhyay, 2016; Haynes et al., 2011, Newman et al., 2013, Calderón-Garcidueñas et al., 2008).

5. Conclusion

One of the main categories of pollution that has grown in recent years is air pollution. Many different types of contaminants are the source of air pollution. Depending on how prevalent they are in the environment, these pollutants might be classified as main or secondary pollutants. These contaminants might come from natural or man-made sources. When these contaminants are present

The Effects of Air Pollution on the Environment, Wildlife, and Human Health: A Comprehensive Study

Dr. Pooja Saxena

in the environment in excess of what is desired, it may cause a variety of illnesses in both humans and wildlife as well as plants. Other effects of air pollution include acid rain and global warming. Thus, control of air pollutants is desperately needed in order to enhance air quality and thus reduce related risk.

***Associate Professor
Department of Geography
Government College, Bundi (Raj.)**

References

1. Al-Ghussain, L. (2018). Global warming: review on driving forces and mitigation. *Environmental Progress & Sustainable Energy*. Anderson, T. R., Hawkins, E., & Jones, P. D. (2016). CO₂, the greenhouse effect and global warming: from the pioneering work of Arrhenius and Callendar to today's Earth System Models. *Endeavour*, 40(3), 178-187.
2. Ashfaq A, Sharma P. Environmental effects of air pollution and application of engineered methods to combat the problem. *J Indust Pollut Control*. (2012) 29.
3. Bandyopadhyay, A. (2016). Neurological disorders from ambient (urban) air pollution emphasizing UFPM and PM 2.5. *Current Pollution Reports*, 2(3), 203-211.
4. Bourdrel, T., Bind, M.-A., Béjot, Y., Morel, O., & Argacha, J.-F. (2017). Cardiovascular effects of air pollution. *Archives of Cardiovascular Diseases*, 110(11), 634-642.
5. Brook RD. Cardiovascular effects of air pollution. *Clin Sci (Lond)* 2008;115:175-87.
6. Brunekreef, B., Beelen, R. M. J., Hoek, G., Schouten, L. J., Bausch-Goldbohm, S., Fischer, P., ... & Jerrett, M. (2009). Effects of long-term exposure to traffic-related air pollution on respiratory and cardiovascular mortality in the Netherlands: the NLCS-AIR study. Research report (Health Effects Institute), (139), 5-71.
7. Brown, R. C., Lockwood, A. H., & Sonawane, B. R. (2005). Neurodegenerative diseases: an overview of environmental risk factors. *Environmental health perspectives*, 113(9), 1250-1256.
8. Calderón-Garcidueñas, L., Mora-Tiscareño, A., Ontiveros, E., Gómez-Garza, G., Barragán-Mejía, G., Broadway, J., ... & Henríquez-Roldán, C. (2008). Air pollution, cognitive deficits and brain abnormalities: a pilot study with children and dogs. *Brain and cognition*, 68(2), 117-127.
9. Chen, T. M., Kuschner, W. G., Gokhale, J., & Shofer, S. (2007). Outdoor air pollution: nitrogen dioxide, sulfur dioxide, and carbon monoxide health effects. *The American journal of the medical sciences*, 333(4), 249-256.
10. Lee, B. J., Kim, B., & Lee, K. (2014). Air pollution exposure and cardiovascular disease. *Toxicological research*, 30, 71-75.

**The Effects of Air Pollution on the Environment, Wildlife, and Human Health: A
Comprehensive Study**

Dr. Pooja Saxena

11. Madronich S, de Gruijl F. Skin cancer and UV radiation. *Nature*. (1993) 366:23-9. doi: 10.1038/366023a0.
12. Makri, A., & Stilianakis, N. I. (2008). Vulnerability to air pollution health effects. *International journal of hygiene and environmental health*, 211(3-4), 326-336.
13. Nakano, T., & Otsuki, T. (2013). Environmental air pollutants and the risk of cancer. *Gan to kagaku ryoho. Cancer & chemotherapy*, 40(11), 1441-1445.
14. Newman, N. C., Ryan, P., LeMasters, G., Levin, L., Bernstein, D., Hershey, G. K. K., ... & Sucharew, H. (2013).
15. Traffic-related air pollution exposure in the first year of life and behavioral scores at 7 years of age. *Environmental health perspectives*, 121(6), 731-736.
16. Nogueira JB. Air pollution and cardiovascular disease. *Rev Port Cardiol* 2009;28:715-33.
17. Pathak, R. K., Wang, T., Ho, K. F., & Lee, S. C. (2011). Characteristics of summertime PM_{2.5} organic and elemental carbon in four major Chinese cities: Implications of high acidity for water-soluble organic carbon (WSOC). *Atmospheric Environment*, 45(2), 318-325.
18. Physician For Social Responsibility (PSR) Report, United State affiliate of international Physicians for the prevention of Nuclear war. <https://www.psr.org/wp-content/uploads/2018/05/air-pollution-effectsrespiratory.pdf>
19. Singh, A., & Agrawal, M. (2007). Acid rain and its ecological consequences. *Journal of Environmental Biology*, 29(1), 15.
20. Singh, E., Tiwari, S., & Agrawal, M. (2009). Effects of elevated ozone on photosynthesis and stomatal conductance of two soybean varieties: a case study to assess impacts of one component of predicted global climate change. *Plant Biology*, 11, 101-108.
21. Snow SJ, Cheng W, Wolberg AS, Carraway MS. Air pollution upregulates endothelial cell procoagulant activity via ultrafine particle-induced oxidant signaling and tissue factor expression. *Toxicol Sci* 2014;140:83-93.
22. Steenhof M, Janssen NA, Strak M, Hoek G, Gosens I, Mudway IS, et al. Air pollution exposure affects circulating white blood cell counts in healthy subjects: The role of particle composition, oxidative potential and gaseous pollutants – The RAPTES project. *Inhal Toxicol* 2014;26:141-65.
23. Sule, Tunde Usman Nurudeen Alhasan, Abubakar, Z. P.M.B 13, Auchu, Edo State Nigeria, Abdulasisi Titi Umoru The influence of primary air pollutants on human health related risk (2013).
24. Tam, W. W., Wong, T. W., Wong, A. H., & Hui, D. S. (2012). Effect of dust storm events on daily emergency admissions for respiratory diseases. *Respirology*, 17(1), 143-148.
25. Teramura A. Effects of UV-B radiation on the growth and yield of crop plants. *Physiol Plant*. (2006) 58:415-27.

The Effects of Air Pollution on the Environment, Wildlife, and Human Health: A Comprehensive Study

Dr. Pooja Saxena