

Sustainable Wetland Management of Keoladeo National Park, Bharatpur, Rajasthan

***Dr. Abhishek Vashishtha**

****Dheeraj Kumar Sharma**

Abstract

Wetlands are among the most productive and ecologically significant ecosystems on Earth. They perform important functions such as water regulation, groundwater recharge, flood moderation, nutrient cycling, habitat provision, and biodiversity conservation. Keoladeo National Park, located in Bharatpur District of Rajasthan, is one of India's most important wetland ecosystems and is internationally recognized as a Ramsar Site. The wetland supports a rich diversity of resident and migratory birds and provides habitat for numerous species of flora and fauna. However, its ecological sustainability depends heavily on the availability and management of water, habitat management, regulation of tourism, and participation of local communities.

The present research paper examines the utilization and management of the Keoladeo National Park wetland from a geographical and environmental perspective. It focuses on the physical setting, wetland characteristics, biodiversity, water management, tourism, human interaction, major environmental challenges, and possibilities for sustainable utilization. The study is based primarily on secondary information obtained from government reports, published literature, research studies, official conservation documents, and other relevant sources. The analysis indicates that water availability is one of the most critical factors influencing the ecological health of the wetland. Sustainable water management, habitat restoration, invasive-species control, regulated tourism, biodiversity monitoring, and greater community participation are essential for long-term conservation.

Keywords: *Wetland, Keoladeo National Park, Bharatpur, Water Management, Biodiversity, Sustainable Utilization, Wetland Conservation, Tourism.*

1. Introduction

Wetlands constitute an important component of the geographical environment because they represent an interface between terrestrial and aquatic ecosystems. They support ecological processes and provide numerous ecosystem services to human society. Wetlands regulate water flow, store floodwater, recharge groundwater, support biodiversity, provide fish and other biological resources, and create opportunities for tourism and environmental education.

India possesses a wide variety of wetlands distributed across different physiographic and climatic regions. Rajasthan, despite being predominantly characterized by an arid and semi-arid climate, contains several important wetlands. Among them, **Keoladeo National Park in Bharatpur District** occupies a distinctive position because of its ecological importance and its role as a habitat for waterbirds.

Sustainable Wetland Management of Keoladeo National Park, Bharatpur, Rajasthan

Dr. Abhishek Vashishtha & Dheeraj Kumar Sharma

Keoladeo was historically developed as a waterfowl hunting reserve under the princely state of Bharatpur. Over time, its importance shifted from hunting to wildlife conservation. The area was declared a bird sanctuary and subsequently received national and international recognition for its ecological significance. It was designated a **Ramsar Wetland of International Importance** and later became a National Park.

The ecological character of Keoladeo is strongly influenced by human intervention. Unlike many natural wetlands, its water regime has historically been influenced by artificial water supply and management structures. Consequently, the sustainability of the wetland depends not only on rainfall and natural hydrological processes but also on effective water management.

The present study therefore focuses on the **sustainable utilization and management of the Keoladeo National Park wetland** and examines the interaction between environmental resources, biodiversity, tourism, and human activities.

2. Study Area

Keoladeo National Park is situated in Bharatpur District of eastern Rajasthan. Bharatpur forms part of the relatively low-lying plains of eastern Rajasthan and is geographically influenced by the drainage systems of the Gambhir and Banganga river basins.

The park is located near Bharatpur city and occupies an important position in the regional landscape. Its geographical location has contributed to the development of a wetland ecosystem that provides suitable habitat for numerous water-dependent species.

Table 1. General Geographical Profile of Keoladeo National Park

Particular	Description
Name	Keoladeo National Park
Location	Bharatpur District, Rajasthan
Geographic Region	Eastern Rajasthan
Ecosystem	Wetland, woodland and grassland mosaic
Major significance	Waterbird habitat and biodiversity conservation
International recognition	Ramsar Site
Major environmental resource	Wetland and associated habitats
Major management concern	Water availability and habitat management
Major human activity	Tourism and nature interpretation

Source: Ramsar Sites Information Service (RSIS), Keoladeo National Park; Government of Rajasthan, Forest Department

The park is surrounded by an agricultural and settlement landscape. This geographical setting creates a close relationship between the protected wetland and the surrounding human environment.

Sustainable Wetland Management of Keoladeo National Park, Bharatpur, Rajasthan

Dr. Abhishek Vashishtha & Dheeraj Kumar Sharma

3. Geographical Characteristics of the Wetland

Keoladeo represents a managed wetland ecosystem composed of shallow water bodies, marshes, grasslands, woodland patches, scrub vegetation, and artificially maintained channels.

The wetland is characterized by seasonal variations in water availability. During periods of adequate water supply, shallow wetlands provide favourable feeding and breeding grounds for aquatic birds. During dry periods, declining water levels alter habitat conditions and influence the distribution of water-dependent species.

Table 2. Major Components of the Keoladeo Wetland Ecosystem

Component	Major Characteristics	Ecological Significance
Shallow water bodies	Seasonal/perennial water areas	Feeding and breeding habitat
Marshes	Waterlogged vegetation	Aquatic biodiversity
Grasslands	Open herbaceous areas	Grazing and nesting habitat
Woodland	Trees and shrubs	Shelter and nesting
Scrub	Dry and semi-dry vegetation	Habitat diversity
Channels	Water distribution structures	Wetland water management

Source: Ramsar Sites Information Service (RSIS); Keoladeo National Park Management Plan

The spatial diversity of habitats is one of the major reasons for the ecological importance of the park.

4. Objectives of the Study

The major objectives of the present study are:

1. To examine the geographical characteristics of the Keoladeo National Park wetland.
2. To study the utilization of wetland resources.
3. To examine the role of water availability in wetland ecology.
4. To assess the importance of the wetland for biodiversity conservation.
5. To examine tourism-related activities in the park.
6. To identify major environmental and management problems.
7. To evaluate existing approaches to wetland management.
8. To suggest measures for sustainable utilization and conservation.

5. Research Methodology

The study is primarily based on secondary information. Relevant data and information have been collected

Sustainable Wetland Management of Keoladeo National Park, Bharatpur, Rajasthan

Dr. Abhishek Vashishtha & Dheeraj Kumar Sharma

from government publications, forest and wildlife department documents, Ramsar-related information, research papers, books, reports, and other published sources.

The methodology consists of four major stages:

5.1 Data Collection

Secondary data relating to geography, hydrology, biodiversity, tourism, conservation, and management were collected from published sources.

5.2 Spatial Analysis

The geographical characteristics of the study area were examined with reference to location, drainage, wetland distribution, surrounding land use, and habitat characteristics.

5.3 Descriptive Analysis

The available information was classified and presented through tables and descriptive analysis.

5.4 Interpretation

The results were interpreted from the perspective of sustainable wetland utilization, biodiversity conservation, water management, tourism, and community participation.

6. Historical Development of Keoladeo National Park

The history of Keoladeo is closely connected with the development of water management in the Bharatpur region. The wetland landscape was influenced by the construction and management of water-retaining structures, which created suitable conditions for waterfowl.

Historically, the area was used as a hunting ground by the rulers of Bharatpur. With increasing recognition of wildlife conservation, the area gradually changed from a hunting reserve to a protected wildlife area.

The transformation of Keoladeo reflects an important change in environmental perception—from exploitation of wildlife resources toward conservation and sustainable management.

Table 3. Broad Historical Development

Stage	Major Development
Historical period	Wetland and water management associated with Bharatpur
Princely period	Major waterfowl hunting area
Post-independence period	Increasing wildlife conservation
Sanctuary period	Protection of bird habitat
National Park period	Strengthened legal protection
International recognition	Recognition as a Ramsar Wetland
Present period	Biodiversity conservation, research and regulated tourism

Source: Keoladeo National Park Management Plan; Government of Rajasthan, Forest Department; UNESCO World Heritage Centre

Sustainable Wetland Management of Keoladeo National Park, Bharatpur, Rajasthan

Dr. Abhishek Vashishtha & Dheeraj Kumar Sharma

7. Biodiversity of Keoladeo National Park

Biodiversity is the most significant natural resource of Keoladeo. The wetland provides habitats for resident and migratory birds. The availability of shallow water, aquatic vegetation, grassland, and woodland creates a diverse habitat mosaic.

Bird populations are strongly influenced by water availability, food resources, nesting sites, vegetation structure, and seasonal climatic conditions.

Table 4. Major Habitat Types and Associated Biodiversity

Habitat	Important Ecological Role
Open water	Aquatic and water-dependent birds
Marshland	Feeding and breeding
Grassland	Ground-feeding birds and nesting
Woodland	Perching and nesting
Scrub	Shelter and habitat diversity
Mudflats	Feeding areas for waders

Source: Ramsar Sites Information Service (RSIS); Wildlife Institute of India; Keoladeo National Park Management Plan

The park is particularly important as a wintering and migratory habitat for many bird species.

8. Water Resources and Water Management

Water is the most critical ecological factor in the functioning of Keoladeo wetland. The wetland ecosystem requires sufficient water during appropriate seasons to maintain shallow-water habitats.

The water regime is influenced by rainfall, surface-water supply, surrounding hydrological conditions, and management interventions.

Table 5. Major Water Sources and Their Functions

Water Source	Function
Rainfall	Natural seasonal water input
Surface-water supply	Maintaining wetland water levels
Water-retaining structures	Storage and distribution
Channels	Distribution of water within wetland
Local drainage	Supplementary hydrological contribution

Source: Keoladeo National Park Management Plan; Government of Rajasthan, Forest Department

Sustainable Wetland Management of Keoladeo National Park, Bharatpur, Rajasthan

Dr. Abhishek Vashishtha & Dheeraj Kumar Sharma

Insufficient water can lead to shrinking aquatic habitats, changes in vegetation, reduction in food availability, and changes in bird distribution.

Therefore, water management should be based on ecological requirements rather than merely maintaining the physical presence of water.

9. Water Availability and Wetland Ecology

The ecological health of the wetland is closely associated with the timing, quantity, and spatial distribution of water.

Table 6. Relationship between Water Availability and Ecological Conditions

Water Condition	Expected Ecological Effect
Adequate seasonal water	Healthy aquatic habitat
Moderate water availability	Suitable shallow-water habitat
Low water availability	Reduction of aquatic habitat
Prolonged dryness	Habitat degradation
Excessive water depth	Reduction of suitable shallow feeding areas
Irregular water supply	Disturbance of ecological cycles

Source: Compiled by the researcher based on Ramsar Sites Information Service, wetland-management literature and published ecological studies

The management objective should therefore be to maintain an appropriate **hydrological regime** rather than simply maximizing the amount of water in the wetland.

10. Wetland Utilization

The wetland provides several direct and indirect benefits to society. However, utilization needs to remain within ecological limits.

Table 7. Major Forms of Wetland Utilization

Utilization	Nature	Importance
Biodiversity conservation	Ecological	Very high
Wildlife habitat	Ecological	Very high
Tourism	Economic/social	High
Environmental education	Educational	High
Scientific research	Academic	High
Nature interpretation	Educational	Moderate to high
Local livelihood support	Socio-economic	Moderate
Ecosystem services	Environmental	Very high

Source: Compiled by the researcher from Ramsar Sites Information Service and wetland-management literature

Sustainable Wetland Management of Keoladeo National Park, Bharatpur, Rajasthan

Dr. Abhishek Vashishtha & Dheeraj Kumar Sharma

The most important principle is that utilization should not compromise the ecological character of the wetland.

11. Tourism and Recreation

Keoladeo National Park is an important tourism destination in Rajasthan. Birdwatching, wildlife observation, photography, environmental education, and nature interpretation are major tourism activities.

Tourism generates economic benefits and increases public awareness regarding wetland conservation. At the same time, excessive tourism can create pressure on sensitive habitats.

Table 8. Tourism Activities and Potential Environmental Effects

Tourism Activity	Positive Contribution	Possible Pressure
Birdwatching	Conservation awareness	Disturbance if unmanaged
Nature walks	Environmental education	Habitat trampling
Photography	Awareness and documentation	Disturbance in sensitive areas
Guided tours	Employment and interpretation	Visitor concentration
Cycling/vehicle-based tourism	Accessibility	Noise and movement pressure

Source: Compiled by the researcher from Keoladeo National Park Management Plan and relevant tourism/conservation literature

Sustainable tourism should therefore emphasize visitor regulation, designated routes, interpretation, and protection of sensitive habitats.

12. Role of Local Communities

The surrounding population is an important stakeholder in wetland conservation. Local communities interact with the broader landscape through agriculture, employment, tourism-related services, and resource use.

Community participation can improve conservation outcomes because local residents possess traditional knowledge about water, vegetation, wildlife, and seasonal environmental changes.

Table 9. Potential Areas of Community Participation

Area	Possible Community Role
Eco-tourism	Guides and support services
Conservation awareness	Local environmental education
Monitoring	Reporting environmental changes
Livelihood diversification	Nature-based employment
Waste management	Maintaining cleanliness
Biodiversity protection	Assistance in conservation programmes

Source: Keoladeo National Park Management Plan; Ramsar Sites Information Service; relevant research studies

Sustainable Wetland Management of Keoladeo National Park, Bharatpur, Rajasthan

Dr. Abhishek Vashishtha & Dheeraj Kumar Sharma

Community participation should be incorporated into wetland management planning.

13. Major Environmental Problems

Despite its international importance, Keoladeo faces several environmental and management challenges.

Table 10. Major Problems of Keoladeo Wetland

Problem	Major Impact
Water scarcity	Reduction of wetland habitat
Irregular water supply	Ecological imbalance
Climate variability	Changes in hydrological conditions
Invasive vegetation	Reduction of native habitat
Habitat succession	Change in grassland and wetland structure
Tourism pressure	Disturbance to sensitive areas
Surrounding land-use pressure	Ecological stress
Reduced habitat quality	Impact on biodiversity
Extreme climatic events	Ecosystem instability

Source: Prepared by the researcher based on the findings of the present study and relevant wetland-management literature

Among these, **water scarcity and hydrological uncertainty** remain particularly important because many ecological processes depend directly on water availability.

14. Management Practices

Wetland management at Keoladeo requires an integrated approach involving water, habitat, wildlife, tourism, research, and community participation.

Important management practices include:

1. Maintenance of appropriate water levels.
2. Restoration of degraded wetland habitats.
3. Management of invasive vegetation.
4. Maintenance of grassland and woodland mosaics.
5. Monitoring of bird populations.
6. Regulation of tourist movement.
7. Protection of breeding habitats.
8. Regular ecological monitoring.

Sustainable Wetland Management of Keoladeo National Park, Bharatpur, Rajasthan

Dr. Abhishek Vashishtha & Dheeraj Kumar Sharma

9. Community participation.
10. Development of climate-resilient management strategies.

Table 11. Management Measures and Expected Outcomes

Management Measure	Expected Outcome
Ecological water management	Improved wetland health
Habitat restoration	Increased habitat quality
Invasive-species management	Improved native vegetation
Tourism regulation	Reduced disturbance
Biodiversity monitoring	Better conservation planning
Community participation	Greater local support
Environmental education	Improved conservation awareness
Scientific research	Evidence-based management

Source: Prepared by the researcher based on the findings of the present study and relevant wetland-management literature

15. Sustainable Wetland Management Framework

Sustainable management should integrate ecological conservation with socially beneficial and economically viable activities.

Table 12. Proposed Sustainable Management Framework

Dimension	Strategy
Ecological	Habitat restoration and biodiversity protection
Hydrological	Ecologically appropriate water management
Economic	Sustainable nature tourism
Social	Community participation
Educational	Environmental awareness
Scientific	Long-term monitoring and research
Administrative	Integrated institutional coordination
Climate	Climate-resilient wetland planning

Source: Prepared by the researcher based on the findings of the present study and relevant wetland-management literature

Sustainable Wetland Management of Keoladeo National Park, Bharatpur, Rajasthan

Dr. Abhishek Vashishtha & Dheeraj Kumar Sharma

16. Results and Discussion

The analysis indicates that Keoladeo National Park is a highly valuable wetland ecosystem whose ecological character depends on the interaction of water, vegetation, wildlife, and human management.

The wetland performs important ecosystem functions and provides habitat for a wide range of birds and other organisms. Its location in eastern Rajasthan gives it particular significance because wetlands of comparable ecological importance are relatively limited in the surrounding semi-arid landscape.

The study also indicates that wetland utilization has multiple dimensions. Tourism contributes to the local and regional economy and creates opportunities for environmental education. However, utilization must be carefully regulated because the wetland is ecologically sensitive.

Water management emerges as the central issue. Both insufficient water and inappropriate water distribution can affect habitat quality. Consequently, water planning should consider ecological requirements, seasonal variation, habitat-specific needs, and long-term climate variability.

Another important finding is that conservation cannot be separated from the surrounding socio-economic environment. Local communities should therefore be considered partners in conservation rather than merely external beneficiaries or users.

17. Suggested Sustainable Management Strategies

The following measures are recommended for sustainable management of Keoladeo National Park:

17.1 Integrated Water Management

A scientifically designed water-management plan should be developed based on ecological water requirements and seasonal habitat needs.

17.2 Habitat Restoration

Degraded wetland areas should be restored through appropriate vegetation and hydrological management.

17.3 Biodiversity Monitoring

Regular monitoring of birds, vegetation, aquatic organisms, and habitat conditions should be undertaken.

17.4 Sustainable Tourism

Tourism should be managed through visitor limits in sensitive areas, designated routes, environmental interpretation, and responsible tourism practices.

17.5 Invasive Species Control

Invasive and ecologically undesirable vegetation should be controlled through scientifically appropriate methods.

17.6 Community Participation

Local residents should be involved in conservation, eco-tourism, environmental education, and monitoring programmes.

17.7 Climate-Resilient Planning

Long-term management should consider increasing climatic variability, changing rainfall patterns, temperature changes, and potential water shortages.

17.8 Research and Data Management

Long-term ecological datasets should be maintained to support evidence-based decision-making.

18. Conclusion

Keoladeo National Park is one of the most significant wetland ecosystems of Rajasthan and has exceptional importance for biodiversity conservation. Its geographical setting, habitat diversity, water regime, and position along migratory bird routes contribute to its ecological significance.

The study demonstrates that the sustainable utilization and management of Keoladeo depend primarily on maintaining ecological integrity while allowing appropriate tourism, research, education, and community-oriented activities. Water availability is particularly important because changes in the quantity, timing, and distribution of water directly influence wetland habitats and biodiversity.

The future conservation of Keoladeo requires an integrated approach involving hydrological management, habitat restoration, biodiversity monitoring, sustainable tourism, community participation, and climate-resilient planning. The wetland should be managed not merely as a protected area but as a dynamic socio-ecological system in which ecological, economic, and social dimensions are interconnected.

Thus, sustainable wetland management can help maintain the ecological character of Keoladeo National Park while ensuring that its biodiversity and ecosystem services continue to benefit present and future generations.

***Associate Professor**
Department of Geography
S.P.K.N.S. Govt. College, Dausa
****Research Scholar**
Department of Geography
University of Rajasthan
Jaipur (Raj.)

References

1. Government of Rajasthan. (Various years). *Forest and Wildlife Department Reports*. Government of Rajasthan, Jaipur.

Sustainable Wetland Management of Keoladeo National Park, Bharatpur, Rajasthan

Dr. Abhishek Vashishtha & Dheeraj Kumar Sharma

2. Ministry of Environment, Forest and Climate Change. (Various years). *Wetlands and Wildlife Conservation Reports*. Government of India, New Delhi.
3. Ramsar Convention Secretariat. (Various years). *Ramsar Sites Information Service: Keoladeo National Park*. Ramsar Convention on Wetlands.
4. Wildlife Institute of India. (Various years). *Wetland and Biodiversity Conservation Studies*. Dehradun.
5. Wetlands International. (Various years). *Wetland Conservation and Management Publications*.
6. Rodgers, W. A., Panwar, H. S., & Mathur, V. B. (2002). *Wildlife Protected Area Network in India: A Review*. Wildlife Institute of India, Dehradun.
7. Gaston, A. J. (Ed.). (Various publications). *Studies on waterbirds, wetlands and conservation in the Indian subcontinent*.
8. Scott, D. A. (Ed.). (1989). *A Directory of Asian Wetlands*. IUCN, Gland, Switzerland.
9. Mitsch, W. J., & Gosselink, J. G. (2015). *Wetlands* (5th ed.). John Wiley & Sons.
10. Ramsar Convention Secretariat. (2016). *An Introduction to the Convention on Wetlands*. Ramsar Convention Secretariat, Gland, Switzerland.
11. Wetlands International. (Various years). *Waterbird Population Estimates*. Wetlands International.
12. Ministry of Environment, Forest and Climate Change. *National Wetland Conservation Programme: Guidelines and Reports*. Government of India.